

DSL is a Flexible Galvanized frame shelter with retractable features.


- Includes Corner cushions
- 4" Sloped frame , with front rain channel guard

Application: To be used with pit style levelers

Shelter size: 11'6" wide x 11'6" high x 24" deep.

To seal on your dock over the road truck size: 8'0" to 8'6" wide and 12'10" to 13'6" high

Note: Dock shelter can be installed in any door size up to 10'0" w x 10'0" high.




Flap shelter type

Dimensions

		(Imperial)	(Metric)
<b>B</b>	Width	11' 6"	3500 mm
<b>B1</b>	Width of front opening	6' 11"	2100 mm
<b>B2</b>	Width of side flap	27.50"	700 mm
<b>H</b>	Height	11' 6"	3500 mm
<b>H1</b>	Height of front opening	8' 2"	2500 mm
<b>H2</b>	Height of top flap	36"	900 mm
<b>A</b>	Depth	24"	600 mm

Corner cushion included



Note: Please make sure you have the required space around the opening as each shelters requires 11' 6" out to out dimension on the width and 12'0" out to out dimension on the height.

Approved by \_\_\_\_\_ Date \_\_\_\_\_

**Hörmann High Performance Doors**  
117 Starpointe Blvd., Burgettstown, PA 15021-9506  
+1 800 365 3667 | info@hormann.us | hormann.us